



## Chiller ANL 118 WRK 06L-1-PT

### Cooling capacity [kW]

Outdoor temp.		20 °C	15 °C	10 °C	5 °C	0 °C	-5 °C	-10 °C
	35 °C		8.2	7.1	6.1	5.3	4.2	3.4
25 °C		9.3	8.1	7	6.1	4.9	4	3.1

#### Electrical data

Supply voltage	400 V / 50 Hz / 3 Ph
Electrical connection	16 A CEE Stecker A
Max. current draw	38 A
Power at rated load	3.2 kW
Minimum cable cross-section for 25 m feed	16 A CEE 5x1,5 mm <sup>2</sup>

#### Refrigeration circuit

Refrigerant	R410A
Number of refrigeration circuits	1
Number of compressors	1

#### Consumer circuit

Internal pump	3,0 - 1,4 bar
Volume flow	0,4 - 4,8
Buffer tank	60 l

#### Dimensions and weight

Length	1.460 mm
Width	680 mm
Height	1.000 mm
Weight	210 kg

#### Connections

Consumer	Schlauchtülle 1"
Filling connection	Geka

#### Sound pressure level

at 10 m	55 dB(A)
---------	----------

#### Operating environment

min. -5 °C bis max. -46 °C
----------------------------

#### Coolant

Wasser, Wasser / Glykol
-------------------------